

5. (Amended) An isolated nucleic acid molecule which encodes a naturally occurring allelic variant of a *Corynebacterium glutamicum* polypeptide comprising the amino acid sequence of SEQ ID NO:2, wherein the nucleic acid molecule hybridizes to the complement of a nucleic acid molecule consisting of SEQ ID NO:1 in 6X SSC at 45°C, followed by one or more washes in 0.2X SSC, 0.1% SDS at 50-65°C, and wherein said nucleic acid molecule encodes a polypeptide having 6-phosphogluconolactonase activity.

c3  
6. (Amended) An isolated nucleic acid molecule comprising a nucleotide sequence which has at least 90% identity with the nucleotide sequence of SEQ ID NO:1, wherein said nucleic acid molecule encodes a polypeptide having 6-phosphogluconolactonase activity, or the complement thereof.

7. (Amended) An isolated nucleic acid molecule comprising a fragment of at least 15 contiguous nucleotides of the nucleotide sequence of SEQ ID NO:1, or the complement thereof.

c4  
8. (Amended) An isolated nucleic acid molecule which hybridizes to the nucleic acid molecule of any one of claims 1 and 4-7 in 6X SSC at 45°C, followed by one or more washes in 0.2X SSC, 0.1% SDS at 50-65°C.

9. (Amended) An isolated nucleic acid molecule comprising the nucleic acid molecule of any one of claims 1 and 4-7 and a nucleotide sequence encoding a heterologous polypeptide.

c5  
15. (Amended) The host cell of claim 12, wherein the expression of said nucleic acid molecule results in the production of a fine chemical from said cell.

c6  
25. (Amended) A method for producing a fine chemical, comprising culturing a cell containing a vector of claim 11, such that the fine chemical is produced.

c7  
29. (Amended) The method of claim 25, wherein said cell is selected from the group consisting of: *Corynebacterium glutamicum*, *Corynebacterium herculis*, *Corynebacterium lilium*, *Corynebacterium acetoacidophilum*, *Corynebacterium*

*acetoglutamicum, Corynebacterium acetophilum, Corynebacterium ammoniagenes, Corynebacterium fujikense, Corynebacterium nitrilophilus, Brevibacterium ammoniagenes, Brevibacterium flavum, Brevibacterium healii, Brevibacterium ketoglutamicum, Brevibacterium ketosoreductum, Brevibacterium linens, Brevibacterium parafinolicum*, and those strains set forth in Table 3.

*C7*  
*cont*  
*C8*

**34. (Amended)** A method for producing a fine chemical, comprising culturing a cell whose genomic DNA has been altered by the inclusion of a nucleic acid molecule of any one of claims 1 and 4-9.

*C9*

**36. (Amended)** A host cell comprising the nucleic acid molecule of SEQ ID NO:1, or the complement thereof, wherein the nucleic acid molecule is disrupted, and wherein said nucleic acid molecule encodes a polypeptide having 6-phosphogluconolactonase activity.

**37. (Amended)** A host cell comprising the nucleic acid molecule of SEQ ID NO:1, or the complement thereof, wherein the nucleic acid molecule comprises one or more nucleic acid modifications, and wherein said nucleic acid molecule encodes a polypeptide having 6-phosphogluconolactonase activity.